

EU Declaration of Conformity

Model Number: ET6553L, ET5553L
Equipment Category: Information Technology and Telecommunications Equipment
Equipment Class: Commercial and Light Industrial
Product Name: Touch Monitor
Manufacture Start Year: 2019

We hereby declare under our sole responsibility, that the object of the declaration described above is in conformity with the following EU Directives and harmonized standard(s):

1. **EU Directive 2014/30/EU** of the European Parliament and of the Council of 26 February 2014 on the approximation of the laws of the Member States relating to electromagnetic compatibility and repealing Directive 768/2008/EC Text with EEA relevance.

Applicable harmonized standards:

- EN 55032:2015+A11:2020 Class A
- EN 55035:2017+A11:2020
- EN 61000-3-2:2019
- EN 61000-3-3: 2013+A1:2019
- EN 61000-6-1:2019
- IEC 61000-4-2:2008
- IEC 61000-4-3:2006+A1:2007+A2:2010
- IEC 61000-4-4:2012
- IEC 61000-4-5:2014+A1:2017
- IEC 61000-4-6:2013
- IEC 61000-4-8:2009
- EN 61000-4-11:2020

2. **EU Directive 2014/35/EU** of the European Parliament and of the Council of 26 February 2014 on the harmonization of the laws of Member States relating to Electrical Equipment designed for use within certain voltage limits.

Applicable harmonized standards:

- EN 62368-1:2014+A11:2017
- IEC 62368-1:2014
- IEC 62368-1:2018
- EN IEC 62368- 1:2020+A11:2020

3. **EU Directive 2011/65/EU** of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Technical documentation required by the EU Directive 2011/65/EU was drawn based on harmonized standard EN 63000:2018.

4. **Directive 2009/125/EC** of the European Parliament and of the Council of 21 October 2009 establishing a framework for the setting of ecodesign requirements for energy-related products.

Commission Regulation (EU) 2019/2021 of 1 October 2019 laying down ecodesign requirements for electronic displays pursuant to Directive 2009/125/EC of the European Parliament and of the Council.



Kevin Huang
Director, System Engineering
Elo Touch Solutions, Inc.

Elo Touch Solutions | 670 N. McCarthy Blvd., Suite 100 Milpitas, CA 95035 | 800 ELO TOUCH | +1 408 597 8000 | www.elotouch.com

UK Declaration of Conformity

Model Number: ET6553L, ET5553L
Equipment Category: Information Technology and Telecommunications Equipment
Equipment Class: Commercial and Light Industrial
Product Name: Touch Monitor
Manufacture Start Year: 2019

We hereby declare under our sole responsibility, that the object of the declaration described above is in conformity with the following Product Specifications and UK Regulations:

1. Electromagnetic Compatibility Regulations 2016
Applicable harmonized standards:

- BS EN 55032:2015+A11:2020 Class A
- BS EN 55035:2017+A11:2020
- BS EN IEC 61000-6-1:2019
- BS EN IEC 61000-3-2:2019
- BS EN 61000-3-3:2013+A1:2019
- BS EN 61000-4-2:2009
- BS EN 61000-4-3:2006+A1:2008+A2:2010
- BS EN 61000-4-4:2012
- BS EN 61000-4-5:2014+A1:2017
- BS EN 61000-4-6:2014
- BS EN 61000-4-8:2010
- BS EN IEC 61000-4-11:2020
- BS EN IEC 62368-1:2020+A11:2020
- BS EN 62368-1:2014+A11:2017
- IEC 62368-1:2014
- IEC 62368-1:2018

2. The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

Technical documentation required based on harmonized standard BS EN IEC 63000:2018.



Kevin Huang
Director, Systems Engineering
Elo Touch Solutions, Inc



14 October 2019

FCC Declaration of Conformity

Per FCC 47 CFR FCC Part15 subpart B Section 2.1077(a)
In accordance with FCC Rules and Regulations

Model Number: ET6553L, ET5553L Series
Equipment Category: Information Technology and Telecommunications Equipment
Equipment Class: Commercial and Light Industrial
Product Name: Touch Monitor
Manufacturer: Elo Touch Solutions, Inc.
670 N. McCarthy Blvd.
Suite 100
Milpitas, CA 95035
www.elotouch.com

Trademark:



Declaration:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation

Kevin Huang
Director, Systems Engineering
Elo Touch Solutions, Inc.

Elo Touch Solutions | 670 N. McCarthy Blvd., Suite 100 | Milpitas, CA 95035 | 800 ELO TOUCH | +1 408 597 8000 | www.elotouch.com

		Ref. Certif. No. DK-83309-M2-UL																								
IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME																										
CB TEST CERTIFICATE <table> <tr> <td>Product</td> <td>Interactive Digital Signage Touchmonitor</td> </tr> <tr> <td>Name and address of the applicant</td> <td>ELO TOUCH SOLUTIONS, INC. 670 N. McCarthy Blvd., Suite 100 Milpitas, CA 95035 USA</td> </tr> <tr> <td>Name and address of the manufacturer</td> <td>ELO TOUCH SOLUTIONS, INC. 670 N. McCarthy Blvd., Suite 100 Milpitas, CA 95035 USA</td> </tr> <tr> <td>Name and address of the factory</td> <td>ELO TOUCH SOLUTIONS, INC. 2245 BRIGHTON-HENRIETTA TOWN LINE RD, ROCHESTER, NY 14623 UNITED STATES</td> </tr> <tr> <td>Note: When more than one factory, please report on page 2</td> <td>☒ Additional Information on page 2</td> </tr> <tr> <td>Ratings and principal characteristics</td> <td>Input: 100-240 V~, 50/60 Hz, 3.0A (for model ET6553L) 100-240 V~, 50/60 Hz, 2.8A (for model ET5553L)</td> </tr> <tr> <td>Trademark (if any)</td> <td>  </td> </tr> <tr> <td>Type of Customer's Testing Facility (CTF) Stage used</td> <td></td> </tr> <tr> <td>Model / Type Ref.</td> <td>ET5553L, ET6553L</td> </tr> <tr> <td>Additional information (if necessary may also be reported on page 2)</td> <td>The report was revised to include technical modifications. ☒ Additional Information on page 2</td> </tr> <tr> <td>A sample of the product was tested and found to be in conformity with</td> <td>IEC 60950-1:2005/AMD1:2009, IEC 60950-1:2005/AMD2:2013, IEC 60950-1:2005</td> </tr> <tr> <td>As shown in the Test Report Ref. No. which forms part of this Certificate</td> <td>U1907246-204 issued on 2019-09-06</td> </tr> </table> This CB Test Certificate is issued by the National Certification Body			Product	Interactive Digital Signage Touchmonitor	Name and address of the applicant	ELO TOUCH SOLUTIONS, INC. 670 N. McCarthy Blvd., Suite 100 Milpitas, CA 95035 USA	Name and address of the manufacturer	ELO TOUCH SOLUTIONS, INC. 670 N. McCarthy Blvd., Suite 100 Milpitas, CA 95035 USA	Name and address of the factory	ELO TOUCH SOLUTIONS, INC. 2245 BRIGHTON-HENRIETTA TOWN LINE RD, ROCHESTER, NY 14623 UNITED STATES	Note: When more than one factory, please report on page 2	☒ Additional Information on page 2	Ratings and principal characteristics	Input: 100-240 V~, 50/60 Hz, 3.0A (for model ET6553L) 100-240 V~, 50/60 Hz, 2.8A (for model ET5553L)	Trademark (if any)		Type of Customer's Testing Facility (CTF) Stage used		Model / Type Ref.	ET5553L, ET6553L	Additional information (if necessary may also be reported on page 2)	The report was revised to include technical modifications. ☒ Additional Information on page 2	A sample of the product was tested and found to be in conformity with	IEC 60950-1:2005/AMD1:2009, IEC 60950-1:2005/AMD2:2013, IEC 60950-1:2005	As shown in the Test Report Ref. No. which forms part of this Certificate	U1907246-204 issued on 2019-09-06
Product	Interactive Digital Signage Touchmonitor																									
Name and address of the applicant	ELO TOUCH SOLUTIONS, INC. 670 N. McCarthy Blvd., Suite 100 Milpitas, CA 95035 USA																									
Name and address of the manufacturer	ELO TOUCH SOLUTIONS, INC. 670 N. McCarthy Blvd., Suite 100 Milpitas, CA 95035 USA																									
Name and address of the factory	ELO TOUCH SOLUTIONS, INC. 2245 BRIGHTON-HENRIETTA TOWN LINE RD, ROCHESTER, NY 14623 UNITED STATES																									
Note: When more than one factory, please report on page 2	☒ Additional Information on page 2																									
Ratings and principal characteristics	Input: 100-240 V~, 50/60 Hz, 3.0A (for model ET6553L) 100-240 V~, 50/60 Hz, 2.8A (for model ET5553L)																									
Trademark (if any)																										
Type of Customer's Testing Facility (CTF) Stage used																										
Model / Type Ref.	ET5553L, ET6553L																									
Additional information (if necessary may also be reported on page 2)	The report was revised to include technical modifications. ☒ Additional Information on page 2																									
A sample of the product was tested and found to be in conformity with	IEC 60950-1:2005/AMD1:2009, IEC 60950-1:2005/AMD2:2013, IEC 60950-1:2005																									
As shown in the Test Report Ref. No. which forms part of this Certificate	U1907246-204 issued on 2019-09-06																									
<table> <tr> <td data-bbox="261 1509 363 1608">  </td> <td data-bbox="624 1509 1331 1608"> ☐ UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA ☒ UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK ☐ UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN ☐ UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA </td> </tr> <tr> <td data-bbox="261 1630 555 1682"> Date: 2019-09-09 Original Issue Date: 2019-05-09 </td> <td data-bbox="580 1630 906 1733"> Signature: Jan-Erik Storgaard </td> </tr> </table> For full legal entity names see www.ul.com/ncbnames				☐ UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA ☒ UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK ☐ UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN ☐ UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA	Date: 2019-09-09 Original Issue Date: 2019-05-09	Signature: Jan-Erik Storgaard																				
	☐ UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA ☒ UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK ☐ UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN ☐ UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA																									
Date: 2019-09-09 Original Issue Date: 2019-05-09	Signature: Jan-Erik Storgaard																									

	<table border="1"> <tr> <td>Ref. Certif. No.</td> </tr> <tr> <td>DK-83309-M2-UL</td> </tr> </table>	Ref. Certif. No.	DK-83309-M2-UL						
Ref. Certif. No.									
DK-83309-M2-UL									
Factories: Additional Information: The original report was modified to include the following changes/additions: 1. To add alternate new model ET5553L. 2. To add alternate enclosure shape for new model ET5553L used. 3. To add alternate Panel sources 55" inch TFT for new model ET5553L used. (See Test Report for details.) 4. To add alternate new rating 100-240 V~, 50/60 Hz, 2.8A for new model ET5553L used. Additionally evaluated to EN 60950-1:2006/A11:2009/A1:2010/A12:2011/A2:2013. National Differences specified in the CB Test Report.									
Additional information (if necessary)  <table border="0"> <tr> <td>☐</td> <td>UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA</td> </tr> <tr> <td>☒</td> <td>UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK</td> </tr> <tr> <td>☐</td> <td>UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN</td> </tr> <tr> <td>☐</td> <td>UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA</td> </tr> </table> For full legal entity names see www.ul.com/mcbnames Date: 2019-09-09 Original Issue Date: 2019-05-09  Signature: Jan-Erik Storgaard		☐	UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA	☒	UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK	☐	UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN	☐	UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA
☐	UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA								
☒	UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK								
☐	UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN								
☐	UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA								

		Ref. Certif. No. DK-83316-M2-UL																						
IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME																								
CB TEST CERTIFICATE <table border="0"> <tr> <td data-bbox="261 443 702 465">Product</td> <td data-bbox="719 443 1321 465">Interactive Digital Signage Touch monitor</td> </tr> <tr> <td data-bbox="261 510 702 533">Name and address of the applicant</td> <td data-bbox="719 510 1321 555">ELO TOUCH SOLUTIONS, INC. 670 N. McCarthy Blvd., Suite 100 Milpitas, CA 95035 USA</td> </tr> <tr> <td data-bbox="261 577 702 600">Name and address of the manufacturer</td> <td data-bbox="719 577 1321 622">ELO TOUCH SOLUTIONS, INC. 670 N. McCarthy Blvd., Suite 100 Milpitas, CA 95035 USA</td> </tr> <tr> <td data-bbox="261 667 702 723">Name and address of the factory Note: When more than one factory, please report on page 2</td> <td data-bbox="719 667 1321 790">ELO TOUCH SOLUTIONS, INC. 2245 BRIGHTON-HENRIETTA TOWN LINE RD, ROCHESTER, NY 14623 UNITED STATES ☒ Additional Information on page 2</td> </tr> <tr> <td data-bbox="261 801 702 824">Ratings and principal characteristics</td> <td data-bbox="719 801 1321 869">Input: 100-240 V~, 50/60 Hz, 3.0A (for model ET6553L) 100-240 V~, 50/60 Hz, 2.8A (for model ET5553L)</td> </tr> <tr> <td data-bbox="261 891 702 913">Trademark (if any)</td> <td data-bbox="719 936 975 992">  </td> </tr> <tr> <td data-bbox="261 1081 702 1104">Type of Customer's Testing Facility (CTF) Stage used</td> <td data-bbox="719 1081 1321 1104"></td> </tr> <tr> <td data-bbox="261 1137 702 1160">Model / Type Ref.</td> <td data-bbox="719 1137 1321 1160">ET5553L, ET6553L</td> </tr> <tr> <td data-bbox="261 1205 702 1249">Additional information (if necessary may also be reported on page 2)</td> <td data-bbox="719 1205 1321 1261">The report was revised to include technical modifications. ☒ Additional Information on page 2</td> </tr> <tr> <td data-bbox="261 1283 702 1328">A sample of the product was tested and found to be in conformity with</td> <td data-bbox="719 1283 1321 1305">IEC 62368-1:2014</td> </tr> <tr> <td data-bbox="261 1339 702 1384">As shown in the Test Report Ref. No. which forms part of this Certificate</td> <td data-bbox="719 1339 1321 1361">U1907246-206 issued on 2019-09-09</td> </tr> </table> This CB Test Certificate is issued by the National Certification Body			Product	Interactive Digital Signage Touch monitor	Name and address of the applicant	ELO TOUCH SOLUTIONS, INC. 670 N. McCarthy Blvd., Suite 100 Milpitas, CA 95035 USA	Name and address of the manufacturer	ELO TOUCH SOLUTIONS, INC. 670 N. McCarthy Blvd., Suite 100 Milpitas, CA 95035 USA	Name and address of the factory Note: When more than one factory, please report on page 2	ELO TOUCH SOLUTIONS, INC. 2245 BRIGHTON-HENRIETTA TOWN LINE RD, ROCHESTER, NY 14623 UNITED STATES ☒ Additional Information on page 2	Ratings and principal characteristics	Input: 100-240 V~, 50/60 Hz, 3.0A (for model ET6553L) 100-240 V~, 50/60 Hz, 2.8A (for model ET5553L)	Trademark (if any)		Type of Customer's Testing Facility (CTF) Stage used		Model / Type Ref.	ET5553L, ET6553L	Additional information (if necessary may also be reported on page 2)	The report was revised to include technical modifications. ☒ Additional Information on page 2	A sample of the product was tested and found to be in conformity with	IEC 62368-1:2014	As shown in the Test Report Ref. No. which forms part of this Certificate	U1907246-206 issued on 2019-09-09
Product	Interactive Digital Signage Touch monitor																							
Name and address of the applicant	ELO TOUCH SOLUTIONS, INC. 670 N. McCarthy Blvd., Suite 100 Milpitas, CA 95035 USA																							
Name and address of the manufacturer	ELO TOUCH SOLUTIONS, INC. 670 N. McCarthy Blvd., Suite 100 Milpitas, CA 95035 USA																							
Name and address of the factory Note: When more than one factory, please report on page 2	ELO TOUCH SOLUTIONS, INC. 2245 BRIGHTON-HENRIETTA TOWN LINE RD, ROCHESTER, NY 14623 UNITED STATES ☒ Additional Information on page 2																							
Ratings and principal characteristics	Input: 100-240 V~, 50/60 Hz, 3.0A (for model ET6553L) 100-240 V~, 50/60 Hz, 2.8A (for model ET5553L)																							
Trademark (if any)																								
Type of Customer's Testing Facility (CTF) Stage used																								
Model / Type Ref.	ET5553L, ET6553L																							
Additional information (if necessary may also be reported on page 2)	The report was revised to include technical modifications. ☒ Additional Information on page 2																							
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2014																							
As shown in the Test Report Ref. No. which forms part of this Certificate	U1907246-206 issued on 2019-09-09																							
<table border="0"> <tr> <td data-bbox="261 1514 360 1603">  </td> <td data-bbox="624 1514 1329 1603"> ☐ UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA ☒ UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK ☐ UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN ☐ UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA </td> </tr> <tr> <td data-bbox="261 1630 555 1686"> Date: 2019-09-09 Original Issue Date: 2019-05-09 </td> <td data-bbox="579 1630 1329 1731"> Signature: Jan-Erik Storgaard For full legal entity names see www.ul.com/ncbnames </td> </tr> </table>				☐ UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA ☒ UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK ☐ UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN ☐ UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA	Date: 2019-09-09 Original Issue Date: 2019-05-09	Signature: Jan-Erik Storgaard For full legal entity names see www.ul.com/ncbnames																		
	☐ UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA ☒ UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK ☐ UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN ☐ UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA																							
Date: 2019-09-09 Original Issue Date: 2019-05-09	Signature: Jan-Erik Storgaard For full legal entity names see www.ul.com/ncbnames																							

		<table border="1"> <tr> <td>Ref. Certif. No.</td> </tr> <tr> <td>DK-83316-M2-UL</td> </tr> </table>	Ref. Certif. No.	DK-83316-M2-UL						
Ref. Certif. No.										
DK-83316-M2-UL										
Factories: Additional Information: The original report was modified to include the following changes/additions: 1. To add alternate new model ET5553L. 2. To add alternate enclosure shape for new model ET5553L used. 3. To add alternate Panel sources 55" inch TFT for new model ET5553L used. (Please see table 1.5.1). 4. To add alternate one rating 100-240Vac, 50-60Hz, 2.8A for new model ET5553 used. Additionally evaluated to EN 62368-1:2014/A11:2017. National Differences specified in the CB Test Report.										
Additional information (if necessary)  <table border="0"> <tr> <td>☐</td> <td>UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA</td> </tr> <tr> <td>☒</td> <td>UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK</td> </tr> <tr> <td>☐</td> <td>UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN</td> </tr> <tr> <td>☐</td> <td>UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA</td> </tr> </table> For full legal entity names see www.ul.com/mcbnames Date: 2019-09-09 Original Issue Date: 2019-05-09  Signature: Jan-Erik Storgaard			☐	UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA	☒	UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK	☐	UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN	☐	UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA
☐	UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA									
☒	UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK									
☐	UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN									
☐	UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA									

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Touch Monitor

Name and address of the applicant

ELO TOUCH SOLUTIONS, INC.
670 N. McCarthy Blvd., Suite 100 Milpitas, CA 95035
USA

Name and address of the manufacturer

ELO TOUCH SOLUTIONS, INC.
670 N. McCarthy Blvd., Suite 100 Milpitas, CA 95035
USA.

Name and address of the factory

Note: When more than one factory, please report on page 2

Ratings and principal characteristics

☒ Additional Information on page 2

I/P:

100-240 V~, 50/60 Hz, 3.0A (for model ET6553L)

100-240 V~, 50/60 Hz, 2.8A (for model ET5553L)

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

ET6553L, ET5553L

Additional information (if necessary may also be reported on page 2)

Additionally evaluated to:

EN IEC 62368-1:2020, EN IEC 62368-1:2020/A11:2020

National Differences specified in the CB Test Report.

☐ Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 62368-1:2018

As shown in the Test Report Ref. No. which forms part of this Certificate

22050275-TSCB02 issued on 2022-12-23

This CB Test Certificate is issued by the National Certification Body



- ☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- ☒ UL Solutions (Denmark), Borupvang 5A DK-2750 Ballerup, DENMARK
- ☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- ☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2022-12-29

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

DK-136300-UL

Factory(ies):

[Redacted]

Additional information (if necessary)



- ☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- ☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- ☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- ☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2022-12-29

Signature:

Jan-Erik Storgaard

CERTIFICATE OF COMPLIANCE

Certificate Number 20191010-E162681
Report Reference E162681-20190510
Issue Date 2019-OCTOBER-10

Issued to: Elo Touch Solutions Taiwan Ltd
Rm C 5th Fl 3 Yuandong Rd
Banqiao District, New Taipei,
220 TAIWAN

This certificate confirms that representative samples of AUDIO/VIDEO, INFORMATION AND COMMUNICATION TECHNOLOGY EQUIPMENT
Touch Monitor
ET6553L, ET5553L

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 62368-1 & CAN/CSA C22.2 No. 62368-1-14,
Audio/video, Information and Communication Technology Equipment - Part 1: Safety Requirements

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



差出人: aplimgr@vcci.jp
送信日時: 2019年5月10日金曜日 16:22
宛先: Masahiro Tsumura
件名: [VCCI適合確認電子届出]受理証明書

適合確認届出

適合確認届出を受理しました。

届出番号:2019073735
受理番号:2019051606

<届出者情報>

<会員情報>

会員番号:797

会社名:タッチパネル・システムズ株式会社

所在地:神奈川県横浜市港北区新横浜 1-19-20 SUN HAMADA BLDG2F

<届出責任者>

部署名:製品企画部

氏名:津村 昌弘

E-mail:masahiro.tsumura@elotouch.com

<届出担当者>

所在地:横浜市港北区新横浜 1-19-20SUN HAMADA BLDG.2F

部署名:技術サポート部

氏名:津村

TEL:045-478-2161

FAX:045-478-2180

E-mail:masahiro.tsumura@elotouch.com

<受理通知受信者>

部署名:製品企画部

E-mail:masahiro.tsumura@elotouch.com

適用規程:VCCI 32-1

届出種別:新規

一般的な機器の名称:タッチモニター
機器の種別と分類記号:クラス A / 分類記号 J2
型式(モデル No.):Elo Touch Solutions
ET6553L
<販売ブランド(1)>

販売ブランド業者名:
会員番号:
販売ブランド業者の型式:
<販売ブランド(2)>

販売ブランド業者名:
会員番号:
販売ブランド業者の型式:
<販売ブランド(3)>

販売ブランド業者名:
会員番号:
販売ブランド業者の型式:
<販売ブランド(4)>

販売ブランド業者名:
会員番号:
販売ブランド業者の型式:
<販売ブランド(5)>

販売ブランド業者名:
会員番号:
販売ブランド業者の型式:
試験機関の会員番号:2216 Cerpass Technology Corporation
試験機関の名称:
<試験設備等登録番号>
1. 1GHz 以下放射妨害波測定:R-4218 (10m)
2. 1GHz 超放射妨害波測定:G-10812 (3m)
3. 電源ポート伝導妨害波測定:C-4663
4. 有線通信ポート等の伝導妨害波測定:
5. 第 15 条による試験所:
6. 設置場所で試験をした:
試験実施日:2019-04-16
試験報告書番号:TEJX1901072
変更/追加理由:

VCCI コメント:

一般財団法人 VCCI 協会

URL :

<https://linkprotect.cudasvc.com/url?a=http%3a%2f%2fwww.vcci.jp%2f&c=E,1,zxFilFoM44sNINrNEfxCMu9uguf2mLPXQK52B9Kxan1DcFEgKy4A-rRIiMRfe063nBjlzx6Bims7ni5i9NHnMd-r7QiKrhUVVdqsLfWsWQ4PDVHHNqN-sDhCSzM,&typo=1>

E-mail : aplimgr@vcci.jp

差出人: aplimgr@vcci.jp
送信日時: 2019年10月15日火曜日 14:09
宛先: Masahiro Tsumura
件名: [VCCI適合確認電子届出]受理証明書

適合確認届出

適合確認届出を受理しました。

届出番号:2019077086
受理番号:2019053994

<届出者情報>

<会員情報>

会員番号:797

会社名:タッチパネル・システムズ株式会社

所在地:神奈川県横浜市港北区新横浜 1-19-20 SUN HAMADA BLDG2F

<届出責任者>

部署名:製品企画部

氏名:津村 昌弘

E-mail:masahiro.tsumura@elotouch.com

<届出担当者>

所在地:横浜市港北区新横浜 1-19-20SUN HAMADA BLDG.2F

部署名:技術サポート部

氏名:津村

TEL:045-478-2161

FAX:045-478-2180

E-mail:masahiro.tsumura@elotouch.com

<受理通知受信者>

部署名:製品企画部

E-mail:masahiro.tsumura@elotouch.com

適用規程:VCCI 32-1

届出種別:新規

一般的な機器の名称:タッチモニター
機器の種別と分類記号:クラス B / 分類記号 j2
型式(モデル No.):Elo Touch Solutions
ET5553L
<販売ブランド(1)>

販売ブランド業者名:
会員番号:
販売ブランド業者の型式:
<販売ブランド(2)>

販売ブランド業者名:
会員番号:
販売ブランド業者の型式:
<販売ブランド(3)>

販売ブランド業者名:
会員番号:
販売ブランド業者の型式:
<販売ブランド(4)>

販売ブランド業者名:
会員番号:
販売ブランド業者の型式:
<販売ブランド(5)>

販売ブランド業者名:
会員番号:
販売ブランド業者の型式:
試験機関の会員番号:2216 Cerpass Technology Corporation
試験機関の名称:
<試験設備等登録番号>

1. 1GHz 以下放射妨害波測定:R-4218 (10m)
 2. 1GHz 超放射妨害波測定:G-10812 (3m)
 3. 電源ポート伝導妨害波測定:C-4663
 4. 有線通信ポート等の伝導妨害波測定:
 5. 第 15 条による試験所:
 6. 設置場所で試験をした:
- 試験実施日:2019-09-03
試験報告書番号:TEJX1908026
変更/追加理由:

VCCI コメント:

一般財団法人 VCCI 協会

URL :

https://linkprotect.cudasvc.com/url?a=http%3a%2f%2fwww.vcci.jp%2f&c=E,1,LP8QsGrWPLczBSE6fgA72SDfMJp2dxD1Svz7gFvOCGkbJqe9WkVGEtQPwKepKHPuaM49skoSa-NyqgSZIB3DVoX3rjmizx2voecfIEJ_&typo=1

E-mail : aplimgr@vcci.jp



中国国家强制性产品认证证书

证书编号: 2019010903176287

委托人名称、地址

Elo Touch Solutions, Inc.

670 N. McCarthy Blvd., Suite 100 Milpitas, CA 95035, 美国

生产者(制造商)名称、地址

Elo Touch Solutions, Inc.

670 N. McCarthy Blvd., Suite 100 Milpitas, CA 95035, 美国

生产企业名称、地址

产品名称和系列、规格、型号

触摸显示器

ET6553L 输入:100-240V~ 50/60Hz 3.0A (电线组件可选)

产品标准和技术要求

GB17625.1-2012;GB4943.1-2011;GB/T9254-2008 (CLASS A)

上述产品符合强制性产品认证实施规则 CNCA-C09-01:2014 的要求,
特发此证。

发证日期: 2019 年 04 月 22 日 有效期至: 2023 年 10 月 30 日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任:

陆楠

中国质量认证中心

<http://www.cqc.com.cn>

中国·北京·南四环西路188号9区 100070

电话: +86 10 83886666



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2019010903176287

NAME AND ADDRESS OF THE APPLICANT

Elo Touch Solutions, Inc.
670 N. McCarthy Blvd., Suite 100, Milpitas, CA95035, United States

NAME AND ADDRESS OF THE MANUFACTURER

Elo Touch Solutions, Inc.
670 N. McCarthy Blvd., Suite 100, Milpitas, CA95035, United States

NAME AND ADDRESS OF THE FACTORY

PRODUCT NAME, MODEL AND SPECIFICATION

Touch Monitor
ET6553L 输入:100-240V~ 50/60Hz 3.0A (电线组件可选)

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB17625.1-2012;GB4943.1-2011;GB/T9254-2008 (CLASS A)

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C09-01:2014).

Valid from: Apr.22,2019

Valid until: Oct.30,2023

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Lu Mei

CHINA QUALITY CERTIFICATION CENTRE

<http://www.cqc.com.cn>

Section 9, No. 188, Nanshuan Xilu, Beijing 100070 P. R. China

Tel: +86 10 83886666



中国国家强制性产品认证证书

证书编号: 2019010903232976

委托人名称、地址

Elo Touch Solutions, Inc.

670 N. McCarthy Blvd., Suite 100 Milpitas, CA 95035, 美国

生产者(制造商)名称、地址

Elo Touch Solutions, Inc.

670 N. McCarthy Blvd., Suite 100 Milpitas, CA 95035, 美国

生产企业名称、地址

产品名称和系列、规格、型号

触摸显示器

ET5553L: 100-240V~ 50/60Hz 2.8A (电线组件可选)

产品标准和技术要求

GB17625.1-2012;GB4943.1-2011;GB/T9254-2008 (A级)

上述产品符合强制性产品认证实施规则 CNCA-C09-01:2014 的要求,
特发此证。

发证日期: 2019 年 09 月 27 日 有效期至: 2023 年 10 月 30 日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任:

陆杨

中国质量认证中心

<http://www.cqc.com.cn>

中国·北京·南四环西路188号9区 100070

电话: +86 10 83886666



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2019010903232976

NAME AND ADDRESS OF THE APPLICANT

Elo Touch Solutions, Inc.
670 N. McCarthy Blvd., Suite 100, Milpitas, CA95035, United States

NAME AND ADDRESS OF THE MANUFACTURER

Elo Touch Solutions, Inc.
670 N. McCarthy Blvd., Suite 100, Milpitas, CA95035, United States

NAME AND ADDRESS OF THE FACTORY

PRODUCT NAME, MODEL AND SPECIFICATION

Touch Monitor
ET5553L: 100-240V~ 50/60Hz 2.8A (Power cord is optional)

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB17625.1-2012;GB4943.1-2011;GB/T9254-2008 (Class A)

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C09-01:2014).

Valid from: Sep.27,2019

Valid until: Oct.30,2023

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Lu Mei

CHINA QUALITY CERTIFICATION CENTRE

<http://www.cqc.com.cn>

Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P. R. China

Tel: +86 10 83886666

Certificate of Conformity

The products listed below have been certified as being compliant with all applicable requirements of the specifications listed

Certificate Number : ES10996 **Issue** : 1
Certificate Issued to : Elo Touch Solutions, Inc.
670 N. McCarthy Blvd. Suite 100 Milpitas, CA. 95035, USA
Brand Name : Elo
Model Name(s) : ET6553L
Model Number(s) : ET6553L
Equipment Description : Signage Display
Applicable Standards : ENERGY STAR Program Requirements for Displays Eligibility Criteria (Version 7.1)

This certificate is issued on condition that the holder complies and will continue to comply with the requirements of the above mentioned specifications and pursuant to the terms and conditions specified in the Certification Agreement.

Authorized by :



Date:

31-May-19

David Dulmage, Senior Technical Assessor



Annex A to Certificate : ES10996

Certification History:

<u>Order Number</u>	<u>Date</u>	<u>Description</u>
374703	31-May-19	Original certification to version 7.1 requirements.

Additional Information:

Intended for marketing of

Canada, Japan, Switzerland, Taiwan, United States

Power Type: Ac power supply

UUT Input Rating: Voltage: 100-240Vac
Current: 3A
Frequency: 50/60Hz

This Annex forms an integral part of the Certificate of Compliance

Nemko Canada Inc
303 River Road, Ottawa, Ontario K1V1H2, CANADA
tel +1 613 737 9680 fax +1 613 737 9691

Page 2 of 2

EEV April 2015



Certificate of Conformity

The products listed below have been certified as being compliant with all applicable requirements of the specifications listed

Certificate Number : ES11056 Issue : 1

Certificate Issued to : Elo Touch Solutions, Inc.
670 N. McCarthy Blvd. Suite 100 Milpitas, CA. 95035, USA

Brand Name : Elo

Product Description : Signage Display


Equipment Category : Display

Applicable Standards : ENERGY STAR Program Requirements for Displays, Eligibility Criteria (Version 8.0)

Model Name	Model Number
ET5553L	ET5553L

This certificate is issued on condition that the holder complies and will continue to comply with the requirements of the above mentioned specifications and pursuant to the terms and conditions specified in the Certification Agreement.

Authorized by :


Sophia Lin

Date:

25-September-19

Annex A to Certificate : ES11056

Certification History:

<u>Order Number</u>	<u>Date</u>	<u>Description</u>
381628	25-September-19	Original certification to version 8.0 requirements.

Additional Information:

Power Type: *AC to DC internal power supply*

UUT Input Rating: *Voltage: 100~240Vac*
 Current: 2.8A
 Frequency: 50/60Hz

This Annex forms an integral part of the Certificate of Compliance

Certificado de Producto Nuevo de Conformidad con Norma Oficial Mexicana

FR4CER1

Certificado No.: **NYC-2202C0E17656**

Normalización y Certificación NYCE, S.C. (NYCE), otorga el presente Certificado de Conformidad con Norma Oficial Mexicana con base al informe de resultados de pruebas No. **TESO0982222**, emitido por el laboratorio **LABORATORIO TESO DE MÉXICO, S.A. DE C.V.**, con número de Acreditación y Aprobación **EE-0023-003/09**, en términos de la legislación vigente. De acuerdo al Procedimiento PCPCER de NYCE y a la solicitud con No. de Referencia **14498C0222**, se otorga el presente certificado con verificación mediante pruebas periódicas a la empresa:

ELO TOUCH SOLUTIONS (MEXICO) S DE RL DE CV
con domicilio en: BOSQUE DE CIRUELOS 180 INT. PP 101 COL. BOSQUES DE LAS LOMAS
MIGUEL HIDALGO, CIUDAD DE MÉXICO C.P. 11700
R.F.C. ETS120511H37

del siguiente producto:

Producto: **MONITOR TACTIL INTERACTIVO DE SEÑALIZACION DIGITAL**
Marca: **elo ---**
Modelo(s): **ET6553L; ET5553L ---**
País(es) de Origen: **CHINA (REPUBLICA POPULAR); ESTADOS UNIDOS DE AMERICA ---**
País(es) de procedencia: **CHINA (REPUBLICA POPULAR); ESTADOS UNIDOS DE AMERICA ---**
Especificaciones Eléctricas: **100-240 V~ 50/60 Hz 3 A ó 2.8 A Dependiendo del modelo ---**
Fracción(es) Arancelaria(s)*: **84716002 ---**

De conformidad con la Norma Oficial Mexicana **NOM-019-SCFI-1998** "Seguridad de equipo de procesamiento de datos.", publicada en el Diario Oficial de la Federación del 11 de Diciembre de 1998. El presente Certificado de conformidad se expide en la Ciudad de México, el día **11-oct-2022**, con vigencia de **1 (un) año**, para los efectos que convengan al interesado. La validez de la vigencia estará sujeta al resultado del seguimiento correspondiente.

Certificó: Evaristo RIVERO GAZGA

AFy+89cs9Y7D1Pj7pyEIXVX+x0yzAPAHlj03QmVCXw/Ag7APfeO+/sZ3wYl3AfHMKbMtrclYsVppalZ3gcfwZgjSVRINXhEYrAcFH2FjUYgmUZ4eTmjQxJkAVTx9hZf4
oS+xE/GzhxdYTrFVaJqLVkvG+DZpKQK12FjUT5fIJCiu+86ycutbOb3zQ3lwUXRqAKCM77VENPoP178kzsd2HtMSYmuy8d2AKo5b0R3uSgppjqCC1y1+3p8ijOpqL+znG8
sLN1TOrXgIHZnejFWTdayJMsulxpOT0R9foERfZz89ZcxtRv9+1aVKjeR5RnK/HP3n/VWjszknH1DB11Yacw==

Analizó: Leonor ISLAS ZUÑIGA

BioUkjSu7ALdPP0zgV1IxCC5ObhLexUkPALc6zqh+sQwTQ4a4jH0ohgV+dDSEI6otyHj10Jn4FHYOsYdIYxRiJ2ozmuEaiL2DWUtHCS2ezO64qkKQR1y2Lgp0DRVnixdbd
Pv2IT74XbZ+C1oUAr9keSr+GHESE/XFaAhRST1dkrlfFDPyP70HcRL3pMa5/ktAcvgZAD0Th9MC48YRFq8kUWW1SyCzH3C6aCKEcQIWmhwDJ/Z6UpDsF24kbhLGrVTjVaU
h174Mq7KyM2YNC6rO47Zqnn4Ct1pelmm6nm2NyZbFifaXkUaxPzCmtqBzGgv2/7efwRqZ6d2q7kS1EECA==

*Dato declarado por el solicitante del Certificado



No. de Referencia: **14498C0222**

El presente Certificado de Conformidad significa la concesión del derecho de Uso de la Contraseña Oficial y de la Marca registrada del Organismo **NOM-NYCE** la cual deben ostentar, en forma legible, discernible e indeleble, los productos que ampara este Certificado de Conformidad, de acuerdo a lo indicado en la siguiente figura:



La Contraseña Oficial **NOM** y la marca registrada **NYCE** quedan sujetas al cumplimiento de los "Lineamientos de Uso de la Contraseña Oficial" y del "Reglamento de Uso de Contraseñas"

CLÁUSULAS

1. El titular debe exhibir la Contraseña **NOM-NYCE** mediante etiquetas, estampado u otro procedimiento que la haga ostensible en cada unidad de los productos que ampara este Certificado.
2. El titular de este Certificado se compromete a respetar las condiciones de uso, tanto del propio Certificado de Conformidad como de la Contraseña **NOM-NYCE**.
3. El titular del Certificado debe garantizar que los productos certificados que ostentan la Contraseña **NOM-NYCE** cumplen con las especificaciones de la Norma Oficial Mexicana aplicable.
4. Ni este certificado de Conformidad ni el uso de la Contraseña, sustituye en ningún caso la garantía del producto que corresponde en los términos de la legislación y de las normas en vigor.
5. El Certificado debe ser automáticamente cancelado, en el momento que:
 - Las especificaciones técnicas en las que se basa el Certificado de Conformidad hayan sufrido cambios y no sea posible realizar una reevaluación del producto.
 - Se incurra en el mal uso del Certificado de Conformidad o de la Contraseña.
 - A petición por escrito del titular.
 - Se detecte durante la vigencia del certificado que el producto certificado deja de cumplir con la norma bajo la cual se certificó.
6. Todo empleo indebido del Certificado de Conformidad ya sea del titular o de un tercero, dará derecho a una acción legal o judicial por parte de **NYCE**.

Certificó: Evaristo RIVERO GAZGA

AFy+89cS9Y7DiPj7pyEiXVX+x0yzAPAHlj03QmvCXw/Ag7APfeO+/sZ3wY13AfHMKbMtrclYsVppalZ3gcfwZgjSVRINXhEYrAcFH2FjUYgmUZ4eTmjqxJkAVTx9hZf4oS+xE/GzhxdYTrFvaJqLVkv+DZpKQK12FjUT5fiJCIu+86ycutbOb3zQ31wUXRqAKCM77VENpoP178kzSd2HtMSYmuy8d2AKo5b0R3uSgpgjqCC1y1+3p8ijOpqL+znG8sLN1ToRgIH2nejWTrdayJMsulxpOToR9foERFz89ZextrV9+1aVKjeR5RnK/HP3n/VWjszknH1DB11Yacw==

Analizó: Leonor ISLAS ZUÑIGA

BioUkjSu7ALdPP0zgV1IXCC5ObhLexUkPALc6zqh+sQwTQ4a4jH0ohgV+dSEI6otyHj10Jn4FHYOsYdiYxRiJ2ozmuEail2DWUtHCS2ez064qkQRlyZLgp0DRVnixdbdPv2IT74XbZ+CloUAR9keSr+GHESE/XFaAhRSTldkr1ffDPyP70HcRL3pMa5/ktacvqZAD0Th9MC48YRFq8kUWw1SyCzH3C6aCKEcQIWmhwDJ/Z6UpDsF24kbhLGrVTjVaUhl174Mq7KyM2YNC6r047Zqnn4cCt1pe1mm6nm2Ny2bFifaXkUaxPzCMtqBzGgv2/7efwRq26d2q7ks1EBECA==

*Dato declarado por el solicitante del Certificado





經濟部標準檢驗局

BUREAU OF STANDARDS, METROLOGY AND INSPECTION,
MINISTRY OF ECONOMIC AFFAIRS



商品驗證登錄證書

CERTIFICATE OF THE REGISTRATION OF PRODUCT CERTIFICATION

證書號碼：CI389065771348 號 99

Certificate No.

茲據

臺灣艾羅科技有限公司

申請驗證登錄，經審查結果符合規

定，准予登錄並使用商品安全標章及識別號碼：

R38577

。其登錄事項如下：

The application made by

for Registration of Product

Certification has been reviewed and found to be in compliance with related regulations. Therefore, registration is granted with the

Product Safety Mark and the Identification No.

R38577

. Details of the registration are follows:

申請人：臺灣艾羅科技有限公司

統一編號：54174251

Applicant

Uniform No.

地址：新北市板橋區遠東路3號5樓

Address

生產廠場：

Factory

廠址：

Factory Address

商品種類名稱：

Type/name of product

商品分類號列：8528.59.10.00.5

C.C.C Code

中文名稱：觸控顯示器

Chinese name

英文名稱：

English name

型 式：ET6553L

Type

系列型式：空白

Series of the type

依據標準：CNS13438 (095年6月)、CNS14336-1 (099年9月)、符合CNS 15663第5節「含有標示」規定 102年7月

標準檢驗局發證（發證地址：100臺北市中正區濟南路1段4號）

This certificate is issued by the BSMI. (No.4, Sec. 1, Jinan Rd., Zhongzheng Dist., Taipei City 100, Taiwan)

本證書以電子文件行之，所載內容若有不符之處，以標準檢驗局系統登錄資料為主，查詢證書資料網址：<https://civil.bsmi.gov.tw>

登錄日期：中華民國	109	年	01	月	15	日
Registration Date	2020	(year)	01	(month)	15	(day)
本證書有效期至	115	年	01	月	14	日
Expiration Date	2026	(year)	01	(month)	14	(day)
發證日期：中華民國	111	年	11	月	04	日
Date of issue	2022	(year)	11	(month)	04	(day)

註1：持本證書進口驗證登錄商品時，進口人須與本證書名義人相同。

註2：次年度商品驗證登錄年費繳納期限為當年11月30日，逾期未繳納者，經限期繳納屆期未繳納，即依商品檢驗法第42條第7款規定廢止驗證登錄，並自次年度1月1日起生效。

註3：本證書僅代表完成檢驗程序，不作為其他(如產地)證明。



列印序號：0308655707141013164

第1頁，共1頁