



CONNECTOR PINOUT	
PIN NO.	DESIGNATION
1	H
2	X
3	S
4	Y
5	L

THIS DRAWING IS A CONTROLLED DOCUMENT. DRAW NO. MS500717

AMP487378-4
OR EQUIVALENT



NOTES:
1. GLASS THICKNESS 3.18mm NOMINAL.
2. FINISHED PART THICKNESS 3.48 +0.5mm/-0.0mm.

REV	DESCRIPTION	DATE	BY	CHKD
D	REV PER ECO-13-0127, REMOVED TOUCH SOLUTIONS FROM LOGO	05/10/13	DI	
C	ECO-12-014008: REBRANDED TO ELO TOUCH SOLUTIONS	8/22/12	BC	SS
B	ECO-11-007278 FINISHED PART THICKNESS 3.48 +0.5mm/-0.0mm.	4/13/11	RB	
P	LTR REVISION RECORD			

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:	
mm		0 PLC ± .8	
		1 PLC ± .4	
		2 PLC ± .2	
		3 PLC ± -	
		4 PLC ± -	
ANGLES±		SURFACE TEXTURE	
		N/A	

DWG	Q. CHUNG	10/17/05	MATERIAL	ACCUTOUCH	HEAT TREAT	N/A					
CHK						N/A					
APVD	Q. CHUNG	10/17/05									
NAME	DIMENSIONAL DRAWING, SCN-AT-FLT17.1-Z01-0H1-R										
SCALE	1:1	SIZE	A2	DRAWING NO.	MS500717	SHEET	1	OF	1	REV	D

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO ELO TOUCH SOLUTIONS. IT IS NOT TO BE DISCLOSED TO ANYONE, OTHER THAN ELO PERSONNEL, WITHOUT THE APPROVAL FROM ELO (www.elotouch.com).

LOC
DIST