


THIS DRAWING IS A CONTROLLED DOCUMENT. DWG NO MS600186



NOTES:

1. ALL DIMENSIONS ARE IN MILLIMETERS.
2. GLASS THICKNESS: 3.0±0.3mm.
3. TRANSDUCERS ARE LOCATED AT THE POSITIONS SHOWN. HEIGHT OF TRANSDUCER ABOVE GLASS: 3.2mm[0.125"] MAX.
4. NO MATERIAL EXTENDS MORE THAN 0.8mm[0.03"] BEYOND THE BACK SURFACE OF THE GLASS.
5. CABLE IS ROUTED ALONG THE TOP EDGE OF THE GLASS.
6. BERG 65043-031, 2x6 HOUSING WITH BERG 48239-000 RECEPTACLES, DIRECTLY MATES WITH ANY OF THE FOLLOWING:
 - INTELLITOUCH SERIAL CONTROL BOARD
 - 012226 CABLE (2x6 TO 8" DB9 BULKHEAD)
 - REFER TO WWW.ELOTOUCH.COM FOR CONTROLLERS AND ACCESSORIES PARTS LIST.
7. CABLE JACKET STRIPPED 152mm FOR EASE DURING THE INTEGRATION PROCESS.

CONNECTION CHART			
PIN	SIGNAL	INSULATION COLOR	JACKET COLOR
1	GROUND	OVERALL SHIELD	
2	KEY		
3	Y RECEIVE (+)	BLU	BLK
4	Y TRANSMIT (+)	BLU	GRY
5	Y RECEIVE (-)	BLK	BLK
6	Y TRANSMIT (-)	YEL	GRY
7	GROUND	INNER SHIELD	
8	X TRANSMIT (+)	RED	RED
9	X RECEIVE (+)	RED	BLK
10	X TRANSMIT (-)	GRN	RED
11	X RECEIVE (-)	WHT	BLK
12	KEY		

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO ELO TOUCH. IT IS TO BE KEPT CONFIDENTIAL AND NOT DISCLOSED TO ANYONE OTHER THAN ELO PERSONNEL, WITHOUT THE APPROVAL OF ELO TOUCH (WWW.ELOTOUCH.COM).

LOC
DIST

E	REV PER ECO-13-0127, REMOVED TOUCH SOLUTIONS FROM LOGO	05/10/13	DI	
D	ECO-12-014006: REBRANDED TO ELO TOUCH SOLUTIONS	09/25/12	BC	SS
C	ECO-09-026932: CHG E634359 DESCRIP. TO SCN-IT-FLT20.1-006-009-R	12/08/09	LA	
P	LTR	REVISION RECORD	DATE	DWG APD

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	0 PLC ± .8
	1 PLC ± .4
	2 PLC ± .2
	3 PLC ± .2
	4 PLC ± .
ANGLES ± 1/2°	
SURFACE TEXTURE	N/A

DWG	LEO	08/10/09	MATERIAL	INTELLITOUCH	HEAT TREAT	ANTIGLARE
CHK						
APD	RONNEY	08/12/09				
NAME						
DIMENSIONAL DRAWING, SCN-IT-FLT20.1-006-009-R						
SCALE	1:1	SIZE	A2	DRAWING NO	MS600186	SHEET
						1 of 1
						REV
						E