


THIS DRAWING IS A CONTROLLED DOCUMENT. (REV NO) MS600019



NOTES:

1. ALL DIMENSIONS ARE IN MILLIMETERS AND INCHES.
2. GLASS THICKNESS: 3.0±0.3mm[0.12±0.012"].
3. TRANSDUCERS ARE LOCATED AT THE POSITIONS SHOWN. TRANSDUCERS ARE NOT TO EXCEED THE EDGE OF THE GLASS.
3. TRANSDUCER HEIGHT ABOVE GLASS SURFACE: 0.12"[3.0mm] MAXIMUM.
5. NO MATERIAL EXTENDS MORE THAN 0.8mm[0.03]" BEYOND THE BACK SURFACE OF THE GLASS.
6. WIRES ARE ROUTED ALONG THE FRONT SIDE OF THE GLASS.
7. BERG 65043-031, 2x6 HOUSING WITH BERG 48239-000 RECEPTACLES, DIRECTLY MATES WITH ANY OF THE FOLLOWING:
 -INTELLITOUCH SERIAL CONTROL BOARD
 -012226 CABLE (2x6 TO 8" DB9 BULKHEAD)
8. THE TOUCH ACTIVE AREA IS LESS THAN THE VIEWABLE AREA TO FACILITATE SEALING.

CONNECTION CHART			
PIN	SIGNAL	INSULATION COLOR	JACKET COLOR
1	GROUND	OVERALL SHIELD	
2	KEY		
3	Y RECEIVE (+)	BLU	BLK
4	Y TRANSMIT (+)	BLU	GRY
5	Y RECEIVE (-)	BLK	BLK
6	Y TRANSMIT (-)	YEL	GRY
7	GROUND	INNER SHIELD	
8	X TRANSMIT (-)	RED	RED
9	X RECEIVE (-)	RED	BLK
10	X TRANSMIT (+)	GRN	RED
11	X RECEIVE (+)	WHT	BLK
12	KEY		

TOUCHSCREEN TABULATION	
PART NUMBER	SURFACE FINISH
E669259	HIGH RESOLUTION ANTIGLARE

LOC 08
DIST 08

REV	DESCRIPTION	DATE	BY	CHKD
C	ECO-12-012454: REBRANDED TO ELO TOUCH SOLUTIONS	08/15/12	BC	SS
B	ECO-08-022400	11/02/09		
P	LTR REVISION RECORD			

DIMENSIONS: mm
 TOLERANCES UNLESS OTHERWISE SPECIFIED:
 0 PLC ±.3
 1 PLC ±.4
 2 PLC ±.2
 3 PLC ±.2
 4 PLC ±.2
 ANGLES ± 1/2°
 SURFACE TEXTURE N/A

DRN	MATERIAL INTELLITOUCH	HEAT TREAT N/A
CHK		N/A
APVD		
NAME	DIMENSIONAL DRAWING	
SCALE 1:1	SIZE A2	DRAWING NO MS600019
SHEET 1	OF 1	REV C

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO ELO TOUCH SOLUTIONS AND ITS WORKING SUBSIDIARIES. IT MAY NOT BE DISCLOSED TO ANYONE OTHER THAN ELO PERSONNEL, WITHOUT PERMISSION FROM ELO (www.elosolutions.com).