



CONNECTION CHART

PIN	SIGNAL	INSULATION COLOR	JACKET COLOR
1	GROUND		
2	KEY	BLU	BLK
3	Y RECEIVE (+)	GRY	GRY
4	Y TRANSMIT (+)	BLK	BLK
5	Y RECEIVE (-)	GRY	GRY
6	X TRANSMIT (-)	RED	RED
7	GROUND		
8	X TRANSMIT (+)	RED	RED
9	X RECEIVE (-)	RED	RED
10	X TRANSMIT (-)	GRN	GRN
11	X RECEIVE (+)	BLK	BLK

- NOTES:**
- ALL DIMENSIONS ARE IN MILLIMETERS.
 - GLASS THICKNESS: 2.8 ±0.3mm (CLEAR FINISH).
 - TRANSDUCERS ARE LOCATED AT THE POSITIONS SHOWN. HEIGHT OF TRANSDUCER BELOW GLASS SURFACE: 3.2mm MAX.
 - BERG 65043-031, 2X6 HOUSING WITH BERG 48239-000 RECEPTACLES, DIRECTLY MATES WITH ANY OF THE FOLLOWING:
> INTELLITOUCH SERIAL CONTROL BOARD.
> 012226 CABLE (2X6 TO 8" DB9 BULKHEAD).
 - SURFACE QUALITY SPECIFICATION PER ELO'S ES600051.
 - SCREEN IS DESIGNED TO FIT INTO A 17.0" LCD DISPLAY.
 - USE ELO RECOMMENDED CLOSED CELL FOAM MATERIAL FOR SEALING PURPOSES. THIS MATERIAL WILL PROVIDE PROTECTION AGAINST DUST AND SPILLS.
 - MOUNTING TAPE: APPLY 3M VHB 5615, 3.0mm WIDE BY 0.4mm THK, TO BE APPROXIMATELY CENTERED IN THE MOUNTING AREA.

PART NUMBER TABULATION

LOC	PART NUMBER	SURFACE FINISH
DISP	E928958	CLEAR
	E927692	1-SIDED ANTI-GLARE

REVISIONS

REV	DATE	BY	APP'D	DESCRIPTION
A	01/28/13	AV	LA	INITIAL RELEASE PER ECO-13-001546
B	01/14/13	AV	LA	UPDATE TO MATCH GLASS ADD TABULATION PER ECO-13-0179

DIMENSIONS

UNIT	LA	AV
MM	10/12/12	10/12/12
INCH		

GENERAL INFORMATION

DATE	10/12/12
BY	AV
APP'D	LA
SCALE	1:1
SIZE	A2
PROJECT	MS601395
REV	B

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO ELO TOUCH SOLUTIONS INC. AND ITS WORLDWIDE SUBSIDIARIES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN ELO PERSONNEL, WITHOUT AUTHORIZATION FROM ELO. www.elotouch.com