





PROJECTED CAPACITIVE MODEL



SIDE MOUNT (LEFT AND RIGHT)  
M4 THREADS, X2  
MAX THREAD DEPTH = 6.5MM








SIDE MOUNT (TOP AND BOTTOM)  
M4 THREADS, X2  
MAX THREAD DEPTH = 6.5MM



PROJECTED CAPACITIVE MODEL

WITH FLUSH MOUNTING BRACKETS (4 INCLUDED)



REPLACEMENT BRACKET KIT P/N E925445 AVAILABLE SEPARATELY



INTELLITOUCH, ACCUTOUCH, AND SECURETOUCH MODEL






SIDE MOUNT (LEFT AND RIGHT)  
M4 THREADS, X2  
MAX THREAD DEPTH = 7MM







INTELLITOUCH, ACCUTOUCH, AND SECURETOUCH MODEL


WITH SIDE MOUNTING BRACKETS (4 INCLUDED)  
REPLACEMENT BRACKET KIT P/N E201156 AVAILABLE SEPARATELY



OPTIONAL FRONT MOUNT BEZEL KIT P/N E553352  
COMPATIBLE WITH INTELLITOUCH, ACCUTOUCH, AND SECURETOUCH MODEL ONLY




FRONT MOUNT BEZEL  
TOUCHMONITOR



FRONT MOUNT BEZEL  
MOUNTING BRACKETS, X4

CUSTOMER PANEL (NOT INCLUDED)  
MIN THICKNESS = 3MM  
MAX THICKNESS = 17MM

OPTIONAL RACK MOUNT BEZEL KIT P/N E553538  
COMPATIBLE WITH INTELLITOUCH, ACCUTOUCH, AND SECURETOUCH MODEL ONLY



- NOTES:
- 1. REQUIRES 11U RACK SPACE
  - 2. TOUCHMONITOR IS MOUNTED IN PORTRAIT ORIENTATION
  - 3. HOLE SPACING PER EIA-310-D

